

Precision 1.85mm Female to 1.85mm Female Adapter



TECHNICAL DATA SHEET

PE9717

Precision 1.85mm Female to 1.85mm Female Adapter

| Configuration |
|---------------|
|---------------|

Connector 1 1.85mm Female
Impedance 1 50 Ohms
Connector 2 1.85mm Female
Impedance 2 50 Ohms
Adapter Design Precision
Body Style Straight

Electrical Specifications

Frequency Range, GHz DC to 65
Maximum VSWR 1.5:1

Frequency 1

Frequency, GHz DC to 26.5 VSWR DC to 25.1

Frequency 2

Frequency, GHz 26.5 to 50 VSWR 1.35:1

Frequency 3

Frequency, GHz 50 to 65 VSWR 1.5:1

Mechanical Specifications

Temperature

Operating Range,deg C -65 to +125

Size

Length, in [mm] 0.853 [21.67] Width/Dia., in [mm] 0.28 [7.11]

Connector 1

Type 1.85mm Female

Connector 2

Type 1.85mm Female

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant Yes

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Precision 1.85mm Female to 1.85mm Female Adapter PE9717

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.

ISO 9001 : 2008 Registered



Precision 1.85mm Female to 1.85mm Female Adapter



TECHNICAL DATA SHEET

PE9717

Plotted and Other Data

Notes:

Values at 25 °C, sea level

URL: http://www.pasternack.com/1.85mm-female-1.85mm-female-straight-adapter-pe9717-p.aspx

Precision 1.85mm Female to 1.85mm Female Adapter from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.



